



Product specifications



Consumer range

WDA

Wynn's Diesel Additive

More kilometres with a full tank

Can protect up to -30°C

WDA Wynn's Diesel Additive is an additive package developed to upgrade the diesel fuel quality and to improve diesel fuel fluidity at low temperatures.

Properties

- ✓ Upgrades the quality of regular diesel fuel to a premium diesel fuel.
- ✓ Reduces crystallization and prevents settling of wax crystals.
- ✓ Cleans and keeps clean injectors and fuel system.
- ✓ Lubricates and protects fuel pump and injector.
- ✓ Eases cold starting.
- ✓ Prevents corrosion and wear on fuel system components.
- ✓ Reduces fuel consumption.
- ✓ Reduces emissions.
- ✓ Harmless to exhaust gas after-treatment systems.

Applications

- ✓ For all diesel fuels and biodiesel up to max. B30 used in diesel engines of vehicles.

Directions

- ✓ Add to the fuel tank, 10 ml per 10 litres of diesel fuel.
- ✓ One bottle of 250 ml treats 250 litres diesel fuel.
- ✓ Use the dosing bottle as follows:
Open the cap a little. Slightly squeeze the bottle to fill the measuring reservoir to the required level. Open the cap completely and add to the diesel fuel tank.
- ✓ Do not add below 5°C.

Packaging

PN 28510 – 12x250 ml – EN/DE/RU

Wynn's Belgium bvba – Industriepark West 46 – B-9100 Sint-Niklaas / Belgium
Tel: 32-3-766.60.20 - Fax: 32-3.778.16.56 – E-mail: mail@wynns.eu – Website: www.wynns.eu

The data concerning properties and applications of the indicated products are offered in good faith and are based on our research and practical experiences. Due to the versatility of the application possibilities, it is impossible to mention all details and we do not assume any obligations or responsibilities resulting from this. When a new edition appears due to the technical development, the preceding data are no longer valid.

Wynn's Belgium bvba – Industriepark West 46 – B-9100 Sint-Niklaas / Belgium
Tel: 32-3-766.60.20 - Fax: 32-3.778.16.56 – E-mail: mail@wynns.eu – Website: www.wynns.eu

The data concerning properties and applications of the indicated products are offered in good faith and are based on our research and practical experiences. Due to the versatility of the application possibilities, it is impossible to mention all details and we do not assume any obligations or responsibilities resulting from this. When a new edition appears due to the technical development, the preceding data are no longer valid.