



Product specifications



Professional range

SUPER RUST PENETRANT **Maintenance Spray**

Wynn's Super Rust Penetrant is a multifunctional lubricant and penetrating oil.

Properties

- ✓ Quickly frees locked, rusted or corroded parts.
- ✓ Lubricates and cleans precision parts and devices.
- ✓ Repels water and moisture.
- ✓ Strong dielectric rigidity.
- ✓ Protects against rust, corrosion and freezing.
- ✓ Stops squeaking and creaking.
- ✓ Removes oil, grease and tar stains.

Applications

- ✓ Rusted joints and fittings.
- ✓ To free bolts, nuts, locks, hinges.
- ✓ To lubricate and clean weapons, cables and precision mechanisms.
- ✓ To remove humidity on spark plugs and in distributors.
- ✓ Materials such as irons, chrome, aluminium and copper.
- ✓ Non-lubricated spots where penetration appears difficult.

Directions

- ✓ Apply by means of spraycan, brush or by immersion.
- ✓ To free parts: apply Wynn's Super Rust Penetrant, allow to set a few minutes and loosen. In obstinate cases, repeat at 10 to 15 minutes intervals.
- ✓ In case of difficult starting caused by humidity in the ignition: spray on inside distributor, allow to set and start.

Wynn's Belgium bvba – Industriepark West 46 – B-9100 Sint-Niklaas / Belgium
Tel: 32-3-766.60.20 - Fax: 32-3.778.16.56 – E-mail: mail@wynns.eu – Website: www.wynns.com

The data concerning properties and applications of the indicated products are offered in good faith and are based on our research and practical experiences. Due to the versatility of the application possibilities, it is impossible to mention all details and we do not assume any obligations or responsibilities resulting from this. When a new edition appears due to the technical development, the preceding data are no longer valid.



Product specifications

Packaging

PN 56479 – 12x500 ml aerosol – EN/FR/DE/IT/RU/EL/NL/PL

Wynn's Belgium bvba – Industriepark West 46 – B-9100 Sint-Niklaas / Belgium
Tel: 32-3-766.60.20 - Fax: 32-3.778.16.56 – E-mail: mail@wynns.eu – Website: www.wynns.com

The data concerning properties and applications of the indicated products are offered in good faith and are based on our research and practical experiences. Due to the versatility of the application possibilities, it is impossible to mention all details and we do not assume any obligations or responsibilities resulting from this. When a new edition appears due to the technical development, the preceding data are no longer valid.